

Technische Informationen und Parameter für lokale Festbrennstoff-Raumheizgeräte gemäß Verordnung (EG) 2015/1185 und Verordnung (EG) 2015/1186 (PRODUKTINFORMATIONSBLETT)

Hersteller:		Victoria-05 Ltd.									
Modellkennung(en):		REGINA, REGINA A									
Harmonisierter Standard:		BDS EN 16510-2-1:2023									
Verwendungszweck:		Freistehender Raumheizer für intermittierenden Betrieb bei geschlossenen Feuerraumtüren.									
Benanntes Labor:		Kontrol 94 Ltd., 2 Mladost Str., 5100 Gorna Oryahovitsa, Republik Bulgarien, NB1879									
Testbericht:		1879 AoP-CPR-0092 /05.06.2026 ; 1879- ITT- 0092/ 05.06.2026									
Beachten Sie die spezifischen Installations- und Wartungsanweisungen in der Bedienungsanleitung sowie die geltenden nationalen und lokalen Vorschriften!											
Indirekte Heizfunktion: [nein]											
Direkte Wärmeleistung: 6,5 kW											
Indirekte Wärmeleistung:											
Brennstoff	Vorher- ferre D Brenn- stoff (nur eins):	Andere geeignet Brenn- stoff	η_s [X%]:	Raumheizungsemissionen bei Nennwärmeleistung(*)				Raumheizungsemissionen bei minimale Wärmeleistung(**)			
				PM	OGC	CO	NO _x	PM	OGC	CO	NO _x
				[x] mg/Nm ³ (13 % O ₂)				[x] mg/Nm ³ (13 % O ₂)			
Holzstämme mit Feuchtigkeitsgehalt ≤ 25 %	[Ja]	[NEIN]	73	23	104	1124	80				

Eigenschaften bei Betrieb ausschließlich mit dem bevorzugten Brennstoff							
Energieeffizienzindex (EEI): 111							
Energieeffizienzklasse: A+							
Artikel	Symbol	Wert	Einheit	Artikel	Symbol	Wert	Einheit
Wärmeleistung				Nutzbarkeit (NCV im Empfangszustand)			
Nennwärme Ausgabe	P_{nom}	6.5	kW	Nutzbare Effizienz bei nomineller Wärme Ausgabe	$\eta_{th, nom}$	83.2	%
Mindestwärme Ausgabe (Richtwert)	P_{min}	[N / A.]	kW	Nutzbare Effizienz mindestens Wärmeleistung (indikativ)	$\eta_{th, min}$	[N / A.]	%

Hilfsstromverbrauch				Art der Heizleistung/Raumtemperaturregelung (auswählen) eins)		
Bei nominaler Wärmeleistung	e_{lmax}	[N / A.]	kW	einstufige Wärmeleistung, kein Platz Temperaturregelung	[Ja]	
Bei minimaler Wärmeleistung	e_{lmin}	[N / A.]	kW	zwei oder mehr manuelle Stufen, kein Temperaturregelung	[NEIN]	
Im Standby-Modus	P_{sb}	[N / A.]	kW	mit mechanischem Thermostatraum Temperaturregelung	[NEIN]	
				mit elektronischer Raumtemperatur Kontrolle	[NEIN]	
				mit elektronischer Raumtemperatur Control Plus Tageszeitschaltuhr	[NEIN]	
				mit elektronischer Raumtemperatur Control Plus Wochentimer	[NEIN]	

				Weitere Steuerungsmöglichkeiten (Mehrfachauswahl möglich)		
					Raumtemperaturregelung, mit Anwesenheitserkennung	[NEIN]
					Raumtemperaturregelung, mit offenem Fenstererkennung	[NEIN]
					mit Distanzsteuerungsoption	[NEIN]
Dauerhafter Bedarf an Zündflammenleistung						
Anforderung (Leistung zutreffend)	P_{pilot}	[N / A.]	kW			
Kontakt Daten:		Victoria-05 Ltd. Ivan-Momchilov-Straße 1B 5100 Gorna Oryahovitsa Republik Bulgarien E-Mail: info@v05.bg http://www.v05.bg				

(*) PM = Feinstaub, OGCs = organische gasförmige Verbindungen, CO = Kohlenmonoxid, NOx = Stickoxide (**)
Nur erforderlich, wenn Korrekturfaktoren F(2) oder F(3) angewendet werden.

Dimitar
Ivanov
Nenov

Digitally signed
by Dimitar
Ivanov Nenov
Date: 2026.06.19
16:13:22 +03'00'

05.06.2026
Gorna Oryahovitsa

Manager:
(Dimitar Nenov)

**Technical information and parameters for solid fuel local space heaters
according to Regulation (EC) 2015/1185 and Regulation (EC) 2015/1186
(PRODUCT INFORMATION SHEET)**

Manufacturer: Victoria-05 Ltd.											
Model identifier(s): REGINA, REGINA A											
Harmonized standard: BDS EN 16510-2-1:2023											
Intended use: Freestanding roomheater for intermittent burning with firedoors closed.											
Notified laboratory: Kontrol 94 Ltd., 2 Mladost Str., 5100 Gorna Oryahovitsa, Republic of Bulgaria, NB1879											
Test report: 1879 AoP-CPR-0092 /05.06.2026 ; 1879- ITT- 0092/ 05.06.2026											
Observe the specific installation and service instructions specified in the instruction manual, as well as applicable national and local regulations!											
Indirect heating functionality: [no]											
Direct heat output: 6.5 kW											
Indirect heat output:											
Fuel	Pre-ferre d fuel (only one):	Other suitable fuel(s)	η_s [x%]:	Space heating emissions at nominal heat output(*)				Space heating emissions at minimum heat output(*)(**)			
				PM	OGC	CO	NO _x	PM	OGC	CO	NO _x
				[x] mg/Nm ³ (13 % O2)				[x] mg/Nm ³ (13 % O2)			
Wood logs with moisture content ≤ 25 %	[yes]	[no]	73	23	104	1124	80				

Characteristics when operating with the preferred fuel only									
Energy Efficiency Index (EEI): 111									
Energy Efficiency Class: A+									
Item	Symbol	Value	Unit		Item	Symbol	Value	Unit	
Heat output					Useful efficiency (NCV as received)				
Nominal heat output	P_{nom}	6.5	kW		Useful efficiency at nominal heat output	$\eta_{th, nom}$	83.2	%	
Minimum heat output (indicative)	P_{min}	[N.A.]	kW		Useful efficiency at minimum heat output (indicative)	$\eta_{th, min}$	[N.A.]	%	

Auxiliary electricity consumption				Type of heat output/room temperature control (select one)		
At nominal heat output	e_{lmax}	[N.A.]	kW	single stage heat output, no room temperature control	[yes]	
At minimum heat output	e_{lmin}	[N.A.]	kW	two or more manual stages, no room temperature control	[no]	
In standby mode	P_{sb}	[N.A.]	kW	with mechanic thermostat room temperature control	[no]	
				with electronic room temperature control	[no]	
				with electronic room temperature control plus day timer	[no]	
				with electronic room temperature control plus week timer	[no]	

					Other control options (multiple selections possible)		
					room temperature control, with presence detection	[no]	
					room temperature control, with open window detection	[no]	
					with distance control option	[no]	
Permanent pilot flame power requirement							
Pilot flame power requirement (if applicable)	P_{pilot}	[N.A.]	kW				
Contact details:	Victoria-05 Ltd. 1B Ivan Momchilov Str. 5100 Gorna Oryahovitsa Republic of Bulgaria e-mail: info@v05.bg http://www.v05.bg						

(*) PM = particulate matter, OGCs = organic gaseous compounds, CO = carbon monoxide, NOx = nitrogen oxides

(**) Only required if correction factors F(2) or F(3) are applied.

Dimitar
 Ivanov
 Nenov

Digitally signed
 by Dimitar
 Ivanov Nenov
 Date: 2026.06.19
 16:13:22 +03'00'

05.06.2026
 Gorna Oryahovitsa

Manager:
 (Dimitar Nenov)