

**Technische Informationen und Parameter für lokale Festbrennstoff-Raumheizgeräte  
gemäß Verordnung (EG) 2015/1185 und Verordnung (EG) 2015/1186  
(PRODUKTINFORMATIONSLATT)**

| Hersteller:                                                                                                                                              |                                          | Victoria-05 Ltd.                                                                         |                |                                                 |     |     |                 |                                                        |     |    |                 |
|----------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------|------------------------------------------------------------------------------------------|----------------|-------------------------------------------------|-----|-----|-----------------|--------------------------------------------------------|-----|----|-----------------|
| Modellkennung(en):                                                                                                                                       |                                          | Capri                                                                                    |                |                                                 |     |     |                 |                                                        |     |    |                 |
| Harmonisierte Norm:                                                                                                                                      |                                          | EN 16510-2-1:2023                                                                        |                |                                                 |     |     |                 |                                                        |     |    |                 |
| Verwendungszweck:                                                                                                                                        |                                          | Freistehender Raumheizer für intermittierenden Betrieb bei geschlossenen Feuerraumtüren. |                |                                                 |     |     |                 |                                                        |     |    |                 |
| Benanntes Labor:                                                                                                                                         |                                          | Kontrol 94 Ltd., 2 Mladost Str., 5100 Gorna Oryahovitsa, Republik Bulgarien, NB1879      |                |                                                 |     |     |                 |                                                        |     |    |                 |
| Testbericht:                                                                                                                                             |                                          | 1879 AoP-CPR-0074 06.01.2026 / 1879-ITT-0074 06.01.2026                                  |                |                                                 |     |     |                 |                                                        |     |    |                 |
| Beachten Sie die spezifischen Installations- und Wartungsanweisungen in der Bedienungsanleitung sowie die geltenden nationalen und lokalen Vorschriften! |                                          |                                                                                          |                |                                                 |     |     |                 |                                                        |     |    |                 |
| Indirekte Heizfunktion: [nein]                                                                                                                           |                                          |                                                                                          |                |                                                 |     |     |                 |                                                        |     |    |                 |
| Direkte Wärmeleistung: 7,6 kW                                                                                                                            |                                          |                                                                                          |                |                                                 |     |     |                 |                                                        |     |    |                 |
| Indirekte Wärmeleistung:                                                                                                                                 |                                          |                                                                                          |                |                                                 |     |     |                 |                                                        |     |    |                 |
| Brennstoff                                                                                                                                               | Vorherverwiesener Brennstoff (nur eins): | Andere geeignete Brennstoffe                                                             | $\eta_s$ [X%]: | Raumheizungsemissionen bei Nennwärmeleistung(*) |     |     |                 | Raumheizungsemissionen bei minimaler Wärmeleistung(**) |     |    |                 |
|                                                                                                                                                          |                                          |                                                                                          |                | PM                                              | OGC | CO  | NO <sub>x</sub> | PM                                                     | OGC | CO | NO <sub>x</sub> |
|                                                                                                                                                          |                                          |                                                                                          |                | [x] mg/Nm³ (13 % O2)                            |     |     |                 | [x] mg/Nm³ (13 % O2)                                   |     |    |                 |
| Holzstämme mit Feuchtigkeitsgehalt ≤ 25 %                                                                                                                | [Ja]                                     | [NEIN]                                                                                   | 72,5           | 27                                              | 66  | 808 | 100             |                                                        |     |    |                 |

| Eigenschaften bei Betrieb ausschließlich mit dem bevorzugten Brennstoff |           |          |         |                                                         |                  |          |         |
|-------------------------------------------------------------------------|-----------|----------|---------|---------------------------------------------------------|------------------|----------|---------|
| Energieeffizienzindex (EEI): 110                                        |           |          |         |                                                         |                  |          |         |
| Energieeffizienzklasse: A+                                              |           |          |         |                                                         |                  |          |         |
| Artikel                                                                 | Symbol    | Wert     | Einheit | Artikel                                                 | Symbol           | Wert     | Einheit |
| Wärmeleistung                                                           |           |          |         | Nutzbarkeit (NCV im Empfangszustand)                    |                  |          |         |
| Nennwärme Ausgabe                                                       | $P_{nom}$ | 7,6      | kW      | Nutzbare Effizienz bei nomineller Wärme Ausgabe         | $\eta_{th, nom}$ | 82,5     | %       |
| Mindestwärme Ausgabe (Richtwert)                                        | $P_{min}$ | [N / A.] | kW      | Nutzbare Effizienz mindestens Wärmeleistung (indikativ) | $\eta_{th, min}$ | [N / A.] | %       |

| Hilfsstromverbrauch         |            |          |    | Art der Heizleistung/Raumtemperaturregelung (auswählen eins)      |        |  |
|-----------------------------|------------|----------|----|-------------------------------------------------------------------|--------|--|
| Bei nominaler Wärmeleistung | $e_{lmax}$ | [N / A.] | kW | einstufige Wärmeleistung, kein Platz Temperaturregelung           | [Ja]   |  |
| Bei minimaler Wärmeleistung | $e_{lmin}$ | [N / A.] | kW | zwei oder mehr manuelle Stufen, kein Platz Temperaturregelung     | [NEIN] |  |
| Im Standby-Modus            | $P_{sb}$   | [N / A.] | kW | mit mechanischem Thermostatraum Temperaturregelung                | [NEIN] |  |
|                             |            |          |    | mit elektronischer Raumtemperatur Kontrolle                       | [NEIN] |  |
|                             |            |          |    | mit elektronischer Raumtemperatur Control Plus Tageszeitschaltuhr | [NEIN] |  |
|                             |            |          |    | mit elektronischer Raumtemperatur Control Plus Wochentimer        | [NEIN] |  |
|                             |            |          |    |                                                                   |        |  |

|                                                  |                                                                                                                                                                                                                  |          |    |                                                                  |        |  |
|--------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----|------------------------------------------------------------------|--------|--|
|                                                  |                                                                                                                                                                                                                  |          |    | <b>Weitere Steuerungsmöglichkeiten (Mehrfachauswahl möglich)</b> |        |  |
|                                                  |                                                                                                                                                                                                                  |          |    | Raumtemperaturregelung, mit Anwesenheitserkennung                | [NEIN] |  |
|                                                  |                                                                                                                                                                                                                  |          |    | Raumtemperaturregelung, mit offenem Fenstererkennung             | [NEIN] |  |
|                                                  |                                                                                                                                                                                                                  |          |    | mit Distanzsteuerungsoption                                      | [NEIN] |  |
| <b>Dauerhafter Bedarf an Zündflammenleistung</b> |                                                                                                                                                                                                                  |          |    |                                                                  |        |  |
| Anforderung (ist zutreffend)                     | $P_{pilot}$                                                                                                                                                                                                      | [N / A.] | kW |                                                                  |        |  |
| Kontakt Daten:                                   | <b>Victoria-05 Ltd.</b><br>Ivan-Momchilov-Straße 1B<br>5100 Gorna Oryahovitsa<br>Republik Bulgarien<br>E-Mail: <a href="mailto:info@v05.bg">info@v05.bg</a><br><a href="http://www.v05.bg">http://www.v05.bg</a> |          |    |                                                                  |        |  |

(\*) PM = Feinstaub, OGCs = organische gasförmige Verbindungen, CO = Kohlenmonoxid, NOx = Stickoxide (\*\*)

Nur erforderlich, wenn Korrekturfaktoren F(2) oder F(3) angewendet werden.

**Dimitar  
Ivanov  
Nenov**

Digitally signed  
by Dimitar  
Ivanov Nenov  
Date: 2026.02.03  
14:45:33 +02'00'

06.01.2026  
Gorna Oryahovitsa

Manager: .....

(Dimitar Nenov)

**Technical information and parameters for solid fuel local space heaters  
according to Regulation (EC) 2015/1185 and Regulation (EC) 2015/1186  
(PRODUCT INFORMATION SHEET)**

| Manufacturer: Victoria-05 Ltd.                                                                                                                               |                             |                        |                |                                                   |           |            |                 |                                                       |     |    |                 |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|------------------------|----------------|---------------------------------------------------|-----------|------------|-----------------|-------------------------------------------------------|-----|----|-----------------|
| Model identifier(s): <b>Capri</b>                                                                                                                            |                             |                        |                |                                                   |           |            |                 |                                                       |     |    |                 |
| Harmonized standard: БДС EN 16510-2-1:2023                                                                                                                   |                             |                        |                |                                                   |           |            |                 |                                                       |     |    |                 |
| Intended use: Freestanding roomheater for intermittent burning with firedoors closed.                                                                        |                             |                        |                |                                                   |           |            |                 |                                                       |     |    |                 |
| Notified laboratory: Kontrol 94 Ltd., 2 Mladost Str., 5100 Gorna Oryahovitsa, Republic of Bulgaria, NB1879                                                   |                             |                        |                |                                                   |           |            |                 |                                                       |     |    |                 |
| Test report: 1879 AoP-CPR-0074 06.01.2026 / 1879-ITT-0074 06.01.2026                                                                                         |                             |                        |                |                                                   |           |            |                 |                                                       |     |    |                 |
| <b>Observe the specific installation and service instructions specified in the instruction manual, as well as applicable national and local regulations!</b> |                             |                        |                |                                                   |           |            |                 |                                                       |     |    |                 |
| Indirect heating functionality: <b>[no]</b>                                                                                                                  |                             |                        |                |                                                   |           |            |                 |                                                       |     |    |                 |
| Direct heat output: 7,6 kW                                                                                                                                   |                             |                        |                |                                                   |           |            |                 |                                                       |     |    |                 |
| Indirect heat output:                                                                                                                                        |                             |                        |                |                                                   |           |            |                 |                                                       |     |    |                 |
| Fuel                                                                                                                                                         | Pre-ferred fuel (only one): | Other suitable fuel(s) | $\eta_s$ [x%]: | Space heating emissions at nominal heat output(*) |           |            |                 | Space heating emissions at minimum heat output(*)(**) |     |    |                 |
|                                                                                                                                                              |                             |                        |                | PM                                                | OGC       | CO         | NO <sub>x</sub> | PM                                                    | OGC | CO | NO <sub>x</sub> |
|                                                                                                                                                              |                             |                        |                | [x] mg/Nm <sup>3</sup> (13 % O2)                  |           |            |                 | [x] mg/Nm <sup>3</sup> (13 % O2)                      |     |    |                 |
| Wood logs with moisture content ≤ 25 %                                                                                                                       | <b>[yes]</b>                | [no]                   | <b>72,5</b>    | <b>27</b>                                         | <b>66</b> | <b>808</b> | <b>100</b>      |                                                       |     |    |                 |

| Characteristics when operating with the preferred fuel only |  |           |        |                                     |  |                                                       |  |                  |        |      |
|-------------------------------------------------------------|--|-----------|--------|-------------------------------------|--|-------------------------------------------------------|--|------------------|--------|------|
| Energy Efficiency Index (EEI):110                           |  |           |        |                                     |  |                                                       |  |                  |        |      |
| Energy Efficiency Class: A+                                 |  |           |        |                                     |  |                                                       |  |                  |        |      |
| Item                                                        |  | Symbol    | Value  | Unit                                |  | Item                                                  |  | Symbol           | Value  | Unit |
| Heat output                                                 |  |           |        | Useful efficiency (NCV as received) |  |                                                       |  |                  |        |      |
| Nominal heat output                                         |  | $P_{nom}$ | 7,6    | kW                                  |  | Useful efficiency at nominal heat output              |  | $\eta_{th, nom}$ | 82,5   | %    |
| Minimum heat output (indicative)                            |  | $P_{min}$ | [N.A.] | kW                                  |  | Useful efficiency at minimum heat output (indicative) |  | $\eta_{th, min}$ | [N.A.] | %    |

| Auxiliary electricity consumption |            |        |    | Type of heat output/room temperature control (select one) |              |  |
|-----------------------------------|------------|--------|----|-----------------------------------------------------------|--------------|--|
| At nominal heat output            | $e_{lmax}$ | [N.A.] | kW | single stage heat output, no room temperature control     | <b>[yes]</b> |  |
| At minimum heat output            | $e_{lmin}$ | [N.A.] | kW | two or more manual stages, no room temperature control    | [no]         |  |
| In standby mode                   | $P_{sb}$   | [N.A.] | kW | with mechanic thermostat room temperature control         | [no]         |  |
|                                   |            |        |    | with electronic room temperature control                  | [no]         |  |
|                                   |            |        |    | with electronic room temperature control plus day timer   | [no]         |  |
|                                   |            |        |    | with electronic room temperature control plus week timer  | [no]         |  |

|                                                |                                                                                                                                                                                                                  |        |    |                                                             |      |  |
|------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|----|-------------------------------------------------------------|------|--|
|                                                |                                                                                                                                                                                                                  |        |    | <b>Other control options (multiple selections possible)</b> |      |  |
|                                                |                                                                                                                                                                                                                  |        |    | room temperature control, with presence detection           | [no] |  |
|                                                |                                                                                                                                                                                                                  |        |    | room temperature control, with open window detection        | [no] |  |
|                                                |                                                                                                                                                                                                                  |        |    | with distance control option                                | [no] |  |
| <b>Permanent pilot flame power requirement</b> |                                                                                                                                                                                                                  |        |    |                                                             |      |  |
| Pilot flame power requirement (if applicable)  | $P_{pilot}$                                                                                                                                                                                                      | [N.A.] | kW |                                                             |      |  |
| Contact details:                               | <b>Victoria-05 Ltd.</b><br>1B Ivan Momchilov Str.<br>5100 Gorna Oryahovitsa<br>Republic of Bulgaria<br>e-mail: <a href="mailto:info@v05.bg">info@v05.bg</a><br><a href="http://www.v05.bg">http://www.v05.bg</a> |        |    |                                                             |      |  |

(\*) PM = particulate matter, OGCs = organic gaseous compounds, CO = carbon monoxide, NOx = nitrogen oxides

(\*\*) Only required if correction factors F(2) or F(3) are applied.

**Dimitar Ivanov Nenov**  
 Digitally signed by Dimitar Ivanov Nenov  
 Date: 2026.02.03 14:45:33 +02'00'

06.01.2026  
 Gorna Oryahovitsa

Manager: .....  
 (Dimitar Nenov)